




Hakenkopfschrauben

Hakenkopfschraube 72/48					
		<p>Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 72/49 und 72/48</p> <p>Abmessungen: M20, b = 23,0mm / h = 14,0mm M24, b = 25,0mm / h = 16,0mm M27, b = 28,0mm / h = 18,0mm M30, b = 31,0mm / h = 20,0mm</p>			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
feuerverzinkt, Festigkeitsklasse 8.8					
HS 72/48	M20	50	6001-7248-8820-0050	20	718,50
HS 72/48		75	6001-7248-8820-0075	20	781,50
HS 72/48		100	6001-7248-8820-0100	15	859,65
HS 72/48		150	6001-7248-8820-0150	10	1.038,10
HS 72/48		200	6001-7248-8820-0200	10	1.225,40
HS 72/48	M24	50	6001-7248-8824-0050	15	758,20
HS 72/48		75	6001-7248-8824-0075	15	830,45
HS 72/48		80	6001-7248-8824-0080	15	864,00
HS 72/48		100	6001-7248-8824-0100	10	933,10
HS 72/48		150	6001-7248-8824-0150	10	1.160,60
HS 72/48	M27	75	6001-7248-8827-0075	25	983,25
HS 72/48		100	6001-7248-8827-0100	20	1.097,60
HS 72/48	M30	50	6001-7248-8830-0050	20	1.090,85
HS 72/48		75	6001-7248-8830-0075	20	1.160,60
HS 72/48		100	6001-7248-8830-0100	15	1.323,30
HS 72/48		150	6001-7248-8830-0150	15	1.656,30
HS 72/48		200	6001-7248-8830-0200	5	1.918,75
Edelstahl A4-50 / A4-70					
HS 72/48	M20	100	6000-7248-A420-0100	15	3.276,85
HS 72/48	M24	50	6000-7248-A424-0050	15	3.319,30
HS 72/48		100	6000-7248-A424-0100	10	4.432,65
HS 72/48		200	6000-7248-A424-0200	10	6.415,20


Hakenkopfschraube 50/30						
		<p>Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 52/34, 50/40, 50/30, 49/30 und 486</p> <p>Abmessungen: M10, b = 13,0mm / h = 10,0mm M12, b = 13,0mm / h = 10,0mm M16, b = 17,0mm / h = 11,0mm M20, b = 21,0mm / h = 12,0mm</p>				
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück	
galvanisch verzinkt, Festigkeitsklasse 4.6						
HS 50/30	M10	30	6000-5030-4610-0030	100	165,60	
HS 50/30		35	6000-5030-4610-0035	100	167,40	
HS 50/30		40	6000-5030-4610-0040	100	169,15	
HS 50/30		45	6000-5030-4610-0045	100	170,85	
HS 50/30		50	6000-5030-4610-0050	100	172,65	
HS 50/30		60	6000-5030-4610-0060	50	186,40	
HS 50/30		80	6000-5030-4610-0080	50	226,55	
HS 50/30		200	6000-5030-4610-0200	25	603,70	
HS 50/30		M12	30	6000-5030-4612-0030	100	151,30
HS 50/30			35	6000-5030-4612-0035	50	155,00
HS 50/30	40		6000-5030-4612-0040	50	158,45	
HS 50/30	50		6000-5030-4612-0050	50	168,05	
HS 50/30	60		6000-5030-4612-0060	50	176,80	
HS 50/30	80		6000-5030-4612-0080	50	196,20	
HS 50/30	100		6000-5030-4612-0100	50	245,40	
HS 50/30	125		6000-5030-4612-0125	50	317,30	
HS 50/30	150		6000-5030-4612-0150	50	391,35	
HS 50/30	200		6000-5030-4612-0200	25	531,90	
HS 50/30	300	6000-5030-4612-0300	25	633,40		
HS 50/30	M16	30	6000-5030-4616-0030	50	176,60	
HS 50/30		35	6000-5030-4616-0035	50	186,60	
HS 50/30		40	6000-5030-4616-0040	50	195,05	
HS 50/30		50	6000-5030-4616-0050	50	205,10	
HS 50/30		60	6000-5030-4616-0060	25	214,70	
HS 50/30		80	6000-5030-4616-0080	25	241,45	
HS 50/30		100	6000-5030-4616-0100	25	298,95	
HS 50/30		125	6000-5030-4616-0125	25	396,25	
HS 50/30		150	6000-5030-4616-0150	25	449,60	
HS 50/30		200	6000-5030-4616-0200	25	542,60	
HS 50/30	300	6000-5030-4616-0300	25	763,70		
HS 50/30	M20	35	6000-5030-4620-0035	25	262,10	
HS 50/30		45	6000-5030-4620-0045	25	265,25	
HS 50/30		55	6000-5030-4620-0055	25	282,25	
HS 50/30		65	6000-5030-4620-0065	25	291,15	
HS 50/30		75	6000-5030-4620-0075	25	307,90	
HS 50/30		100	6000-5030-4620-0100	25	356,70	
HS 50/30		125	6000-5030-4620-0125	25	474,00	
HS 50/30		150	6000-5030-4620-0150	100	549,40	
HS 50/30		200	6000-5030-4620-0200	100	706,85	
HS 50/30		300	6000-5030-4620-0300	100	931,40	

Hakenkopfschrauben

Hakenkopfschraube 50/30						
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 52/34, 50/40, 50/30, 49/30 und 486 Abmessungen: M10, b = 13,0mm / h = 10,0mm M12, b = 13,0mm / h = 10,0mm M16, b = 17,0mm / h = 11,0mm M20, b = 21,0mm / h = 12,0mm				
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück	
galvanisch verzinkt, Festigkeitsklasse 8,8						
HS 50/30	M10	30	6000-5030-8810-0030	100	215,25	
HS 50/30		40	6000-5030-8810-0040	100	219,90	
HS 50/30		50	6000-5030-8810-0050	100	227,65	
HS 50/30		80	6000-5030-8810-0080	50	272,70	
HS 50/30	M12	30	6000-5030-8812-0030	10	197,10	
HS 50/30		40	6000-5030-8812-0040	50	206,80	
HS 50/30		50	6000-5030-8812-0050	50	218,70	
HS 50/30		60	6000-5030-8812-0060	50	232,20	
HS 50/30		80	6000-5030-8812-0080	50	275,40	
HS 50/30		100	6000-5030-8812-0100	50	318,90	
HS 50/30		150	6000-5030-8812-0150	50	509,75	
HS 50/30		300	6000-5030-8812-0300	25	822,40	
HS 50/30		M16	30	6000-5030-8816-0030	50	229,60
HS 50/30			40	6000-5030-8816-0040	50	254,30
HS 50/30	50		6000-5030-8816-0050	50	267,10	
HS 50/30	60		6000-5030-8816-0060	25	279,95	
HS 50/30	80		6000-5030-8816-0080	25	314,95	
HS 50/30	100		6000-5030-8816-0100	25	388,40	
HS 50/30	150		6000-5030-8816-0150	25	584,10	
HS 50/30	200		6000-5030-8816-0200	25	704,80	
HS 50/30	M20	300	6000-5030-8816-0300	25	992,65	
HS 50/30		45	6000-5030-8820-0045	25	345,30	
HS 50/30		55	6000-5030-8820-0055	25	367,40	
HS 50/30		60	6000-5030-8820-0060	25	373,25	
HS 50/30		80	6000-5030-8820-0080	25	431,60	
HS 50/30		100	6000-5030-8820-0100	25	468,90	
HS 50/30		150	6000-5030-8820-0150	25	718,50	
HS 50/30		200	6000-5030-8820-0200	10	919,00	
HS 50/30	300	6000-5030-8820-0300	10	1.257,40		
feuerverzinkt, Festigkeitsklasse 4,6						
HS 50/30	M10	30	6001-5030-8810-0030	100	176,35	
HS 50/30	M12	40	6001-5030-8812-0040	50	182,20	
HS 50/30		50	6001-5030-8812-0050	50	193,30	
HS 50/30	M16	40	6001-5030-8816-0040	50	214,70	
HS 50/30		50	6001-5030-8816-0050	50	235,90	
HS 50/30	M20	60	6001-5030-8816-0060	25	246,90	
HS 50/30		100	6001-5030-8816-0100	25	343,75	
HS 50/30	M20	300	6001-5030-8816-0300	25	878,25	
HS 50/30		100	6001-5030-8820-0100	25	410,40	


feuerverzinkt, Festigkeitsklasse 8,8					
HS 50/30	M10	30	6001-5030-8810-0030	100	247,85
HS 50/30		50	6001-5030-8810-0050	100	262,00
HS 50/30	M12	30	6001-5030-8812-0030	50	226,70
HS 50/30		40	6001-5030-8812-0040	50	237,90
HS 50/30		50	6001-5030-8812-0050	50	251,50
HS 50/30		60	6001-5030-8812-0060	50	267,00
HS 50/30		100	6001-5030-8812-0100	50	366,75
HS 50/30	M16	40	6001-5030-8816-0040	50	291,60
HS 50/30		50	6001-5030-8816-0050	50	307,15
HS 50/30		60	6001-5030-8816-0060	25	321,85
HS 50/30		100	6001-5030-8816-0100	25	465,90
HS 50/30	M20	150	6001-5030-8816-0150	25	700,90
HS 50/30		35	6001-5030-8820-0035	25	391,20
HS 50/30		45	6001-5030-8820-0045	25	397,45
HS 50/30		55	6001-5030-8820-0055	25	423,35
HS 50/30		60	6001-5030-8820-0060	25	429,30
HS 50/30		75	6001-5030-8820-0075	25	483,85
HS 50/30		100	6001-5030-8820-0100	25	540,00
HS 50/30		100	6001-5030-8820-0100	25	540,00
Edelstahl A4-50 / A4-70					
HS 50/30	M10	30	6004-5030-A410-0030	100	809,45
HS 50/30		50	6004-5030-A410-0050	100	912,15
HS 50/30		80	6004-5030-A410-0080	50	1.150,10
HS 50/30	M12	30	6004-5030-A412-0030	100	871,30
HS 50/30		40	6004-5030-A412-0040	50	914,45
HS 50/30		50	6004-5030-A412-0050	50	991,45
HS 50/30		60	6004-5030-A412-0060	50	1.030,95
HS 50/30		80	6004-5030-A412-0080	50	1.374,30
HS 50/30		100	6004-5030-A412-0100	50	1.586,30
HS 50/30	M16	30	6004-5030-A416-0030	50	1.395,05
HS 50/30		40	6004-5030-A416-0040	50	1.539,65
HS 50/30		50	6004-5030-A416-0050	50	1.638,80
HS 50/30		60	6004-5030-A416-0060	25	1.737,95
HS 50/30		80	6004-5030-A416-0080	25	2.070,35
HS 50/30		100	6004-5030-A416-0100	25	2.379,45
HS 50/30		150	6004-5030-A416-0150	25	2.813,95
HS 50/30	M20	45	6004-5030-A420-0045	25	1.678,95
HS 50/30		55	6004-5030-A420-0055	25	1.803,30
HS 50/30		75	6004-5030-A420-0075	25	2.108,90
HS 50/30		100	6004-5030-A420-0100	25	2.363,15
HS 50/30		125	6004-5030-A420-0125	25	2.872,25
HS 50/30		150	6004-5030-A420-0150	25	3.282,80


Hakenkopfschrauben

Hakenkopfschraube 40/22					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 40/22, 40/25 und K422 Abmessungen: M10, b = 14,0mm / h = 7,5mm M12, b = 14,0mm / h = 7,5mm M16, b = 17,0mm / h = 8,5mm			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 4.6					
HS 40/22	M10	20	6000-4022-4610-0020	100	82,00
HS 40/22		30	6000-4022-4610-0030	100	83,65
HS 40/22		40	6000-4022-4610-0040	100	87,60
HS 40/22		50	6000-4022-4610-0050	100	90,90
HS 40/22		60	6000-4022-4610-0060	100	94,30
HS 40/22		70	6000-4022-4610-0070	50	116,40
HS 40/22		80	6000-4022-4610-0080	50	227,20
HS 40/22		100	6000-4022-4610-0100	50	265,70
HS 40/22		150	6000-4022-4610-0150	50	307,40
HS 40/22	M12	20	6000-4022-4612-0020	100	99,95
HS 40/22		30	6000-4022-4612-0030	100	101,95
HS 40/22		35	6000-4022-4612-0035	50	103,60
HS 40/22		40	6000-4022-4612-0040	50	107,35
HS 40/22		50	6000-4022-4612-0050	50	112,90
HS 40/22		60	6000-4022-4612-0060	50	118,95
HS 40/22		70	6000-4022-4612-0070	50	134,60
HS 40/22		80	6000-4022-4612-0080	50	153,75
HS 40/22		100	6000-4022-4612-0100	50	172,90
HS 40/22		125	6000-4022-4612-0125	50	236,20
HS 40/22		150	6000-4022-4612-0150	50	313,95
HS 40/22		200	6000-4022-4612-0200	25	356,70
HS 40/22	M16	30	6000-4022-4616-0030	50	142,80
HS 40/22		40	6000-4022-4616-0040	50	152,80
HS 40/22		50	6000-4022-4616-0050	50	164,15
HS 40/22		60	6000-4022-4616-0060	25	166,80
HS 40/22		70	6000-4022-4616-0070	25	180,15
HS 40/22		80	6000-4022-4616-0080	25	205,75
HS 40/22		100	6000-4022-4616-0100	25	253,15
HS 40/22		125	6000-4022-4616-0125	25	301,20
HS 40/22		150	6000-4022-4616-0150	25	380,70
HS 40/22		200	6000-4022-4616-0200	25	487,55
HS 40/22		250	6000-4022-4616-0250	25	536,55
HS 40/22		300	6000-4022-4616-0300	25	639,20
galvanisch verzinkt, Festigkeitsklasse 8.8					
HS 40/22	M10	20	6000-4022-8810-0020	100	104,15
HS 40/22		30	6000-4022-8810-0030	100	108,75
HS 40/22		40	6000-4022-8810-0040	100	113,95
HS 40/22		50	6000-4022-8810-0050	100	118,15
HS 40/22		60	6000-4022-8810-0060	100	123,65
HS 40/22		70	6000-4022-8810-0070	50	146,00


HS 40/22	M10	80	6000-4022-8810-0080	50	284,05	
HS 40/22		150	6000-4022-8810-0150	25	416,60	
HS 40/22		200	6000-4022-8810-0200	25	482,75	
HS 40/22	M12	30	6000-4022-8812-0030	100	132,50	
HS 40/22		40	6000-4022-8812-0040	50	139,55	
HS 40/22		50	6000-4022-8812-0050	50	146,90	
HS 40/22		60	6000-4022-8812-0060	50	154,65	
HS 40/22		80	6000-4022-8812-0080	50	199,80	
HS 40/22		125	6000-4022-8812-0125	50	307,90	
HS 40/22		150	6000-4022-8812-0150	50	408,25	
HS 40/22		200	6000-4022-8812-0200	25	463,65	
HS 40/22		300	6000-4022-8812-0300	20	593,60	
HS 40/22	M16	30	6000-4022-8816-0300	50	181,80	
HS 40/22		40	6000-4022-8816-0040	50	194,55	
HS 40/22		50	6000-4022-8816-0050	50	208,90	
HS 40/22		60	6000-4022-8816-0060	25	212,30	
HS 40/22		80	6000-4022-8816-0080	25	262,00	
HS 40/22		100	6000-4022-8816-0100	25	318,75	
HS 40/22		125	6000-4022-8816-0125	25	391,55	
HS 40/22		150	6000-4022-8816-0150	25	495,10	
HS 40/22		200	6000-4022-8816-0200	25	633,85	
HS 40/22		300	6000-4022-8816-0300	25	776,35	
feuerverzinkt, Festigkeitsklasse 4.6						
HS 40/22		M10	30	6001-4022-4610-0030	100	96,10
HS 40/22	50		6001-4022-4610-0050	100	100,75	
HS 40/22	80		6001-4022-4610-0080	50	261,25	
HS 40/22	100		6001-4022-4610-0100	50	305,65	
HS 40/22	M12	30	6001-4022-4612-0030	100	117,25	
HS 40/22		50	6001-4022-4612-0050	50	129,80	
HS 40/22		80	6001-4022-4612-0080	50	175,70	
HS 40/22		100	6001-4022-4612-0100	50	198,80	
HS 40/22	M16	50	6001-4022-4616-0050	50	188,75	
HS 40/22		80	6001-4022-4616-0080	25	236,60	
HS 40/22		100	6001-4022-4616-0100	25	291,05	
feuerverzinkt, Festigkeitsklasse 8.8						
HS 40/22	M10	30	6001-4022-8810-0030	100	120,05	
HS 40/22		40	6001-4022-8810-0040	100	131,00	
HS 40/22		50	6001-4022-8810-0050	50	135,55	
HS 40/22		60	6001-4022-8810-0060	50	141,40	
HS 40/22		80	6001-4022-8810-0080	50	287,30	
HS 40/22	M12	30	6001-4022-8812-0030	50	141,10	
HS 40/22		40	6001-4022-8812-0040	50	160,50	
HS 40/22		50	6001-4022-8812-0050	50	168,90	
HS 40/22	M16	40	6001-4022-8816-0040	50	223,80	
HS 40/22		50	6001-4022-8816-0050	50	240,30	
HS 40/22		60	6001-4022-8816-0060	25	244,10	
HS 40/22		100	6001-4022-8816-0100	25	349,30	

Haken-, Hammerkopfschrauben

Hakenkopfschraube 40/22					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 40/22, 40/25 und K422 Abmessungen: M10, b = 14,0mm / h = 7,5mm M12, b = 14,0mm / h = 7,5mm M16, b = 17,0mm / h = 8,5mm			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
Edelstahl A4-50 / A4-70					
HS 40/22	M10	30	6004-4022-A410-0030	100	838,10
HS 40/22		40	6004-4022-A410-0040	100	914,20
HS 40/22		50	6004-4022-A410-0050	100	996,35
HS 40/22		60	6004-4022-A410-0060	100	1.058,40
HS 40/22		80	6004-4022-A410-0080	50	1.197,70
HS 40/22	M12	30	6004-4022-A412-0030	100	718,30
HS 40/22		40	6004-4022-A412-0040	50	795,50
HS 40/22		50	6004-4022-A412-0050	50	883,65
HS 40/22		60	6004-4022-A412-0060	50	979,55
HS 40/22		80	6004-4022-A412-0080	50	1.160,35
HS 40/22		100	6004-4022-A412-0100	50	1.326,15
HS 40/22		150	6004-4022-A412-0150	50	1.862,00
HS 40/22	M16	200	6004-4022-A412-0200	25	2.398,15
HS 40/22		30	6004-4022-A416-0030	50	813,00
HS 40/22		40	6004-4022-A416-0040	50	886,46
HS 40/22		50	6004-4022-A416-0050	50	923,85
HS 40/22		60	6004-4022-A416-0060	25	1.108,10
HS 40/22		80	6004-4022-A416-0080	25	1.257,40
HS 40/22		100	6004-4022-A416-0100	25	1.478,20
HS 40/22		150	6004-4022-A416-0150	25	2.204,50
HS 40/22	200	6004-4022-A416-0200	25	2.594,05	


Hammerkopfschraube 38/17						
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 38/17, 36/36 und 36/20 Abmessungen: M10, b = 13,0mm / h = 6,0mm M12, b = 13,0mm / h = 7,0mm M16, b = 16,0mm / h = 7,0mm				
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück	
galvanisch verzinkt, Festigkeitsklasse 4.6						
HS 38/17	M10	20	6000-3817-4610-0020	100	66,50	
HS 38/17		30	6000-3817-4610-0030	100	72,10	
HS 38/17		40	6000-3817-4610-0040	100	78,10	
HS 38/17		50	6000-3817-4610-0050	100	84,15	
HS 38/17		60	6000-3817-4610-0060	100	90,10	
HS 38/17		70	6000-3817-4610-0070	50	96,10	
HS 38/17		80	6000-3817-4610-0080	50	112,55	
HS 38/17		100	6000-3817-4610-0100	50	145,50	
HS 38/17		150	6000-3817-4610-0150	50	298,50	
HS 38/17		200	6000-3817-4610-0200	50	400,30	
HS 38/17		M12	20	6000-3817-4612-0020	100	72,35
HS 38/17			30	6000-3817-4612-0030	100	78,85
HS 38/17			40	6000-3817-4612-0040	50	85,55
HS 38/17			50	6000-3817-4612-0050	50	91,90
HS 38/17	60		6000-3817-4612-0060	50	105,20	
HS 38/17	70		6000-3817-4612-0070	50	111,60	
HS 38/17	80		6000-3817-4612-0080	50	125,20	
HS 38/17	100		6000-3817-4612-0100	50	180,45	
HS 38/17	125		6000-3817-4612-0125	50	250,35	
HS 38/17	150		6000-3817-4612-0150	25	303,25	
HS 38/17	200		6000-3817-4612-0200	25	443,65	
HS 38/17	250		6000-3817-4612-0250	25	581,35	
HS 38/17	300		6000-3817-4612-0300	15	615,00	
HS 38/17	M16		30	6000-3817-4616-0030	50	110,40
HS 38/17		40	6000-3817-4616-0040	50	120,75	
HS 38/17		50	6000-3817-4616-0050	50	134,85	
HS 38/17		60	6000-3817-4616-0060	50	149,30	
HS 38/17		80	6000-3817-4616-0080	25	169,70	
HS 38/17		100	6000-3817-4616-0100	25	239,10	
HS 38/17		125	6000-3817-4616-0125	25	338,25	
HS 38/17		150	6000-3817-4616-0150	25	397,30	
HS 38/17		200	6000-3817-4616-0200	25	587,00	
HS 38/17		300	6000-3817-4616-0300	15	878,05	
galvanisch verzinkt, Festigkeitsklasse 8.8						
HS 38/17	M10	20	6000-3817-8810-0020	100	86,40	
HS 38/17		30	6000-3817-8810-0030	100	93,75	
HS 38/17		40	6000-3817-8810-0040	100	101,75	
HS 38/17		50	6000-3817-8810-0050	100	117,10	
HS 38/17		60	6000-3817-8810-0060	100	128,80	
HS 38/17		70	6000-3817-8810-0070	50	141,90	

Hammerkopfschrauben

Hammerkopfschraube 38/17						
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 38/17, 36/36 und 36/20 Abmessungen: M10, b = 13,0mm / h = 6,0mm M12, b = 13,0mm / h = 7,0mm M16, b = 16,0mm / h = 7,0mm				
		Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück
galvanisch verzinkt, Festigkeitsklasse 8,8						
HS 38/17	M10	80	6000-3817-8810-0080	50	170,40	
HS 38/17	M12	20	6000-3817-8812-0020	100	94,40	
HS 38/17		30	6000-3817-8812-0030	100	102,40	
HS 38/17		40	6000-3817-8812-0040	50	111,15	
HS 38/17		50	6000-3817-8812-0050	50	122,35	
HS 38/17		60	6000-3817-8812-0060	50	136,70	
HS 38/17		70	6000-3817-8812-0070	50	145,80	
HS 38/17		80	6000-3817-8812-0080	50	162,60	
HS 38/17		100	6000-3817-8812-0100	50	230,90	
HS 38/17		150	6000-3817-8812-0150	25	397,45	
HS 38/17		200	6000-3817-8812-0200	25	533,50	
HS 38/17		250	6000-3817-8812-0250	25	651,25	
HS 38/17		300	6000-3817-8812-0300	25	762,50	
HS 38/17		M16	30	6000-3817-8816-0030	50	143,40
HS 38/17			40	6000-3817-8816-0040	50	157,00
HS 38/17	50		6000-3817-8816-0050	50	176,15	
HS 38/17	60		6000-3817-8816-0060	50	197,10	
HS 38/17	70		6000-3817-8816-0070	50	216,10	
HS 38/17	80		6000-3817-8816-0080	25	233,15	
HS 38/17	100		6000-3817-8816-0100	25	332,65	
HS 38/17	150		6000-3817-8816-0150	25	510,85	
HS 38/17	200		6000-3817-8816-0200	25	683,10	
HS 38/17	250		6000-3817-8816-0250	25	847,80	
HS 38/17	300	6000-3817-8816-0300	25	1.009,80		
feuerverzinkt, Festigkeitsklasse 4,6						
HS 38/17	M12	30	6001-3817-4612-0030	100	90,60	
HS 38/17		50	6001-3817-4612-0050	50	105,70	
HS 38/17		60	6001-3817-4612-0060	50	120,95	
HS 38/17	M16	30	6001-3817-4616-0030	50	126,90	
HS 38/17		40	6001-3817-4616-0040	50	138,90	
HS 38/17		50	6001-3817-4616-0050	50	155,10	
HS 38/17		60	6001-3817-4616-0060	50	171,70	
feuerverzinkt, Festigkeitsklasse 8,8						
HS 38/17	M10	30	6001-3817-8810-0030	100	107,85	
HS 38/17		40	6001-3817-8810-0040	100	111,00	
HS 38/17		50	6001-3817-8810-0050	100	116,55	
HS 38/17		60	6001-3817-8810-0060	100	128,30	
HS 38/17	M12	30	6001-3817-8812-0030	100	122,90	
HS 38/17		40	6001-3817-8812-0040	50	133,40	
HS 38/17		50	6001-3817-8812-0050	50	146,90	


HS 38/17	M12	60	6001-3817-8812-0060	50	164,15	
HS 38/17		70	6001-3817-8812-0070	50	174,95	
HS 38/17		80	6001-3817-8812-0080	50	195,15	
HS 38/17	M16	30	6001-3817-8816-0030	50	172,15	
HS 38/17		40	6001-3817-8816-0040	50	188,45	
HS 38/17		50	6001-3817-8816-0050	50	211,35	
Edelstahl A4-50 / A4-70						
HS 38/17	M10	25	6004-3817-A410-0025	100	388,90	
HS 38/17		30	6004-3817-A410-0030	100	400,70	
HS 38/17		40	6004-3817-A410-0040	100	459,00	
HS 38/17		50	6004-3817-A410-0050	100	516,35	
HS 38/17		60	6004-3817-A410-0060	100	573,90	
HS 38/17		100	6004-3817-A410-0100	50	849,15	
HS 38/17		150	6004-3817-A410-0150	50	1.085,40	
HS 38/17	M12	30	6004-3817-A412-0030	100	470,10	
HS 38/17		40	6004-3817-A412-0040	50	548,40	
HS 38/17		50	6004-3817-A412-0050	50	649,10	
HS 38/17		60	6004-3817-A412-0060	50	716,15	
HS 38/17		80	6004-3817-A412-0080	50	884,05	
HS 38/17		100	6004-3817-A412-0100	50	1.036,20	
HS 38/17		150	6004-3817-A412-0150	25	1.443,65	
HS 38/17		200	6004-3817-A412-0200	25	1.854,60	
HS 38/17		M16	30	6004-3817-A416-0030	50	606,55
HS 38/17			40	6004-3817-A416-0040	50	746,50
HS 38/17	50		6004-3817-A416-0050	50	858,50	
HS 38/17	60		6004-3817-A416-0060	50	942,45	
HS 38/17	80		6004-3817-A416-0080	25	1.194,40	
HS 38/17	100		6004-3817-A416-0100	25	1.455,70	
HS 38/17	150		6004-3817-A416-0150	25	2.071,55	
HS 38/17	200		6004-3817-A416-0200	25	2.696,75	
HS 38/17	300	6004-3817-A416-0300	25	3.915,20		

Hammerkopfschrauben

Hammerkopfschraube 28/15					
		<p>Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 28/12, 28/15, 28/28, 28/38 26/26 und 26/18</p> <p>Abmessungen: M6 - M8, b = 10,1mm / h = 4,0mm M10, b = 10,1mm / h = 5,0mm M12, b = 10,1mm / h = 6,0mm</p>			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 4.6 / 8.8					
HS 28/15	M6	15	6000-2815-4606-0015 6000-2815-8806-0015	100	44,30
HS 28/15		20	6000-2815-4606-0020 6000-2815-8806-0020	100	45,10
HS 28/15		25	6000-2815-4606-0025 6000-2815-8806-0025	100	45,80
HS 28/15		30	6000-2815-4606-0030 6000-2815-8806-0030	100	47,30
HS 28/15		40	6000-2815-4606-0040 6000-2815-8806-0040	100	48,05
HS 28/15		50	6000-2815-4606-0050 6000-2815-8806-0050	100	49,50
HS 28/15		60	6000-2815-4606-0060 6000-2815-8806-0060	100	51,10
HS 28/15	M8	15	6000-2815-4608-0015 6000-2815-8808-0015	100	37,80
HS 28/15		20	6000-2815-4608-0020 6000-2815-8808-0020	100	38,50
HS 28/15		25	6000-2815-4608-0025 6000-2815-8808-0025	100	39,40
HS 28/15		30	6000-2815-4608-0030 6000-2815-8808-0030	100	41,05
HS 28/15		35	6000-2815-4608-0035 6000-2815-8808-0035	100	42,55
HS 28/15		40	6000-2815-4608-0040 6000-2815-8808-0040	100	44,95
HS 28/15		50	6000-2815-4608-0050 6000-2815-8808-0050	100	45,85
HS 28/15		60	6000-2815-4608-0060 6000-2815-8808-0060	100	56,30
HS 28/15		80	6000-2815-4608-0080 6000-2815-8808-0080	100	97,45
HS 28/15		100	6000-2815-4608-0100 6000-2815-8808-0100	100	135,85
HS 28/15		125	6000-2815-4608-0125 6000-2815-8808-0125	100	195,95
HS 28/15		150	6000-2815-4608-0150 6000-2815-8808-0150	50	275,30
HS 28/15		M10	15	6000-2815-4610-0015 6000-2815-8810-0015	100
HS 28/15	20		6000-2815-4610-0020 6000-2815-8810-0020	100	52,30
HS 28/15	25		6000-2815-4610-0025 6000-2815-8810-0025	100	53,90
HS 28/15	30		6000-2815-4610-0030 6000-2815-8810-0030	100	55,40
HS 28/15	35		6000-2815-4610-0035 6000-2815-8810-0035	100	61,95
HS 28/15		40	6000-2815-4610-0040 6000-2815-8810-0040	100	63,60


HS 28/15	M10	50	6000-2815-4610-0050 6000-2815-8810-0050	100	69,10
HS 28/15		60	6000-2815-4610-0060 6000-2815-8810-0060	100	73,60
HS 28/15		80	6000-2815-4610-0080 6000-2815-8810-0080	100	104,55
HS 28/15		100	6000-2815-4610-0100 6000-2815-8810-0100	50	144,60
HS 28/15		125	6000-2815-4610-0125 6000-2815-8810-0125	50	209,80
HS 28/15		150	6000-2815-4610-0150 6000-2815-8810-0150	50	300,95
HS 28/15		200	6000-2815-4610-0200 6000-2815-8810-0200	50	475,90
HS 28/15	M12	30	6000-2815-4608-0015 6000-2815-8808-0015	100	97,95
HS 28/15		40	6000-2815-4608-0020 6000-2815-8808-0020	100	103,25
HS 28/15		50	6000-2815-4608-0025 6000-2815-8808-0025	100	105,20
HS 28/15		80	6000-2815-4608-0030 6000-2815-8808-0030	100	125,40
HS 28/15		100	6000-2815-4608-0035 6000-2815-8808-0035	50	241,05
HS 28/15		150	6000-2815-4608-0040 6000-2815-8808-0040	50	361,60
HS 28/15		200	6000-2815-4608-0050 6000-2815-8808-0050	50	545,65
feuerverzinkt, Festigkeitsklasse 4.6 / 8.8					
HS 28/15	M8	20	6001-2815-4608-0020 6001-2815-8808-0020	100	45,60
HS 28/15		30	6001-2815-4608-0030 6001-2815-8808-0030	100	48,30
HS 28/15		50	6001-2815-4608-0050 6001-2815-8808-0050	100	53,70
HS 28/15	M10	20	6001-2815-4610-0020 6001-2815-8810-0020	100	59,50
HS 28/15		25	6001-2815-4610-0025 6001-2815-8810-0025	100	61,65
HS 28/15		30	6001-2815-4610-0030 6001-2815-8810-0030	100	63,85
HS 28/15		50	6001-2815-4610-0050 6001-2815-8810-0050	100	79,50
HS 28/15		80	6001-2815-4610-0080 6001-2815-8810-0080	100	122,35
HS 28/15		100	6001-2815-4610-0100 6001-2815-8810-0100	50	169,25
HS 28/15			125	6001-2815-4610-0125 6001-2815-8810-0125	50
HS 28/15	M12	30	6001-2815-4612-0030 6001-2815-8812-0030	100	117,60
HS 28/15		40	6001-2815-4612-0040 6001-2815-8812-0040	100	126,60
HS 28/15		50	6001-2815-4612-0050 6001-2815-8812-0050	50	136,40
HS 28/15		60	6001-2815-4612-0060 6001-2815-8812-0060	50	141,15
HS 28/15		80	6001-2815-4612-0080 6001-2815-8812-0080	50	169,25
Edelstahl A4-50 / A4-70					
HS 28/15	M6	15	6004-2815-A406-0015	100	180,00
HS 28/15		20	6004-2815-A406-0020	100	195,00
HS 28/15		25	6004-2815-A406-0025	100	210,00
HS 28/15		80	6004-2815-A406-0080	100	295,70


Hammerkopfschrauben


Hammerkopfschraube 28/15					
		<p>Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 28/12, 28/15, 28/28, 28/38 26/26 und 26/18</p> <p>Abmessungen: M6 - M8, b = 10,1mm / h = 4,0mm M10, b = 10,1mm / h = 5,0mm M12, b = 10,1mm / h = 6,0mm</p>			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
Edelstahl A4-50 / A4-70					
HS 28/15	M8	20	6004-2815-A408-0020	100	237,90
HS 28/15		30	6004-2815-A408-0030	100	251,95
HS 28/15		40	6004-2815-A408-0040	100	268,30
HS 28/15		50	6004-2815-A408-0050	100	288,90
HS 28/15		60	6004-2815-A408-0060	100	366,00
HS 28/15		100	6004-2815-A408-0100	100	558,70
HS 28/15	M10	20	6004-2815-A410-0020	100	250,90
HS 28/15		25	6004-2815-A410-0025	100	267,75
HS 28/15		30	6004-2815-A410-0030	100	275,95
HS 28/15		40	6004-2815-A410-0040	100	334,55
HS 28/15		50	6004-2815-A410-0050	100	376,40
HS 28/15		60	6004-2815-A410-0060	100	418,20
HS 28/15		70	6004-2815-A410-0070	100	461,05
HS 28/15		80	6004-2815-A410-0080	100	501,80
HS 28/15		100	6004-2815-A410-0100	50	599,00
HS 28/15		125	6004-2815-A410-0125	50	880,65
HS 28/15		150	6004-2815-A410-0150	50	991,45
HS 28/15		200	6004-2815-A410-0200	50	1.341,90
HS 28/15		M12	30	6004-2815-A412-0030	100
HS 28/15	40		6004-2815-A412-0040	100	484,75
HS 28/15	50		6004-2815-A412-0050	50	549,60
HS 28/15	60		6004-2815-A412-0060	50	614,75
HS 28/15	70		6004-2815-A412-0070	50	681,90
HS 28/15	80		6004-2815-A412-0080	50	772,20

Edelstahl A2-50 / A2-70					
HS 28/15	M6	15	6002-2815-A206-0015	100	110,90
HS 28/15		20	6002-2815-A206-0020	100	118,00
HS 28/15	M8	15	6002-2815-A208-0015	100	132,95
HS 28/15		20	6002-2815-A208-0020	100	140,20
HS 28/15		25	6002-2815-A208-0025	100	147,80
HS 28/15		30	6002-2815-A208-0030	100	155,25
HS 28/15		35	6002-2815-A208-0035	100	162,60
HS 28/15		40	6002-2815-A208-0040	100	177,45
HS 28/15		50	6002-2815-A208-0050	100	191,85
HS 28/15		60	6002-2815-A208-0060	100	206,70
HS 28/15		65	6002-2815-A208-0065	100	221,20
HS 28/15	M10	20	6002-2815-A210-0020	100	165,70
HS 28/15		25	6002-2815-A210-0025	100	177,65
HS 28/15		30	6002-2815-A210-0030	100	186,60
HS 28/15		35	6002-2815-A210-0035	100	196,90
HS 28/15		40	6002-2815-A210-0040	100	204,35
HS 28/15		50	6002-2815-A210-0050	50	224,10
HS 28/15		60	6002-2815-A210-0060	50	247,85
HS 28/15		65	6002-2815-A210-0065	50	262,35


Hammerkopfschrauben, Hakenkopfschrauben mit Kerbzahn


Hammerkopfschraube 20/12					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 20/12 Abmessungen: M6 - M8, b = 8,7mm / h = 4,0mm			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 4.6					
HS 20/12	M6	15	6000-2012-4606-0015	100	37,30
HS 20/12		20	6000-2012-4606-0020	100	39,10
HS 20/12		25	6000-2012-4606-0025	100	41,15
HS 20/12		30	6000-2012-4606-0030	100	42,65
HS 20/12		40	6000-2012-4606-0040	100	46,35
HS 20/12	M8	15	6000-2012-4608-0015	100	39,95
HS 20/12		20	6000-2012-4608-0020	100	41,50
HS 20/12		25	6000-2012-4608-0025	100	43,00
HS 20/12		30	6000-2012-4608-0030	100	44,50
HS 20/12		40	6000-2012-4608-0040	100	48,30
HS 20/12		50	6000-2012-4608-0050	100	50,45
HS 20/12		60	6000-2012-4608-0060	100	51,60
Edelstahl A4-50 / A4-70					
HS 20/12	M6	20	6004-2012-A406-0020	100	195,95
HS 20/12		40	6004-2012-A406-0040	100	219,25
HS 20/12		50	6004-2012-A406-0050	100	230,95
HS 20/12	M8	20	6004-2012-A408-0020	100	225,15
HS 20/12		30	6004-2012-A408-0030	100	237,90
HS 20/12		40	6004-2012-A408-0040	100	244,95
HS 20/12		50	6004-2012-A408-0050	100	265,95
Edelstahl A2-50 / A2-70					
HS 20/12	M8	20	6004-2012-A208-0020	100	128,30
HS 20/12		25	6004-2012-A208-0025	100	134,25
HS 20/12		30	6004-2012-A208-0030	100	140,00
HS 20/12		35	6004-2012-A208-0035	100	146,35
HS 20/12		40	6004-2012-A208-0040	100	151,60
HS 20/12		50	6004-2012-A208-0050	100	163,30


Hakenkopfschraube mit Kerbzahn 40/22					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 40/22, 40/25 und K422 Abmessungen: M10 - M12, b = 14,0mm / h = 7,5mm M16, b = 17,0mm / h = 8,5mm			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 8.8					
HSK 40/22	12	50	6018-4022-8812-0050	50	180,35
HSK 40/22		80	6018-4022-8812-0080	50	230,00
HSK 40/22	16	40	6018-4022-8816-0040	50	282,30
HSK 40/22		60	6018-4022-8816-0060	25	326,50
HSK 40/22		80	6018-4022-8816-0080	25	373,25

Hakenkopfschraube mit Kerbzahn 50/30					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 52/34, 50/40, 50/30, 49/30 und 486 Abmessungen: M10 - M12, b = 13,0mm / h = 10,0mm M16, b = 17,0mm / h = 11,0mm M20, b = 21,0mm / h = 12,0mm			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 8.8					
HSK 50/30	12	40	6016-5030-8812-0040	50	338,25
HSK 50/30		50	6016-5030-8812-0050	25	352,10
HSK 50/30		60	6016-5030-8812-0060	25	366,10
HSK 50/30		80	6016-5030-8812-0080	25	411,75
HSK 50/30		16	45	6016-5030-8816-0045	25
HSK 50/30	60		6016-5030-8816-0060	25	487,00
HSK 50/30	75		6016-5030-8816-0075	25	545,40
HSK 50/30	80		6016-5030-8816-0080	25	572,75
HSK 50/30	100		6016-5030-8816-0100	25	623,60


Hammerkopfschrauben gezahnt


Hammerkopfschrauben 64/44 gezahnt					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für gezahntes Profil 64/44			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 8.8					
HZS 64/44	M20	80	6018-6444-8820-0080	25	auf Anfrage
HZS 64/44		125	6018-6444-8820-0125	25	auf Anfrage
HZS 64/44	M24	80	6018-6444-8824-0080	25	auf Anfrage
HZS 64/44		150	6018-6444-8824-0150	25	auf Anfrage
Edelstahl A4-70					
HZS 64/44	M20	80	6018-6444-A420-0080	25	auf Anfrage
HZS 64/44		125	6018-6444-A420-0125	25	auf Anfrage
HZS 64/44	M24	80	6018-6444-A424-0080	25	auf Anfrage
HZS 64/44		150	6018-6444-A424-0150	25	auf Anfrage

Hammerkopfschrauben 53/34 gezahnt					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für gezahntes Profil 53/34			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 8.8					
HZS 53/34	M16	60	6018-5234-8816-0060	25	auf Anfrage
HZS 53/34		100	6018-5234-8816-0100	25	auf Anfrage
HZS 53/34	M20	65	6018-5234-8820-0065	25	auf Anfrage
HZS 53/34		100	6018-5234-8820-0100	25	auf Anfrage
Edelstahl A4-70					
HZS 53/34	M16	60	6018-5234-A416-0060	25	auf Anfrage
HZS 53/34		100	6018-5234-A416-0100	25	auf Anfrage
HZS 53/34	M20	65	6018-5234-A420-0065	25	auf Anfrage
HZS 53/34		100	6018-5234-A420-0100	25	auf Anfrage


Hammerkopfschrauben 38/23 gezahnt						
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für gezahntes Profil 38/23				
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück	
galvanisch verzinkt, Festigkeitsklasse 8.8						
HZS 38/23	M12	30	6018-3823-8812-0030	100	342,75	
HZS 38/23		40	6018-3823-8812-0040	50	351,55	
HZS 38/23		50	6018-3823-8812-0050	50	369,65	
HZS 38/23		60	6018-3823-8812-0060	50	378,55	
HZS 38/23		80	6018-3823-8812-0080	50	593,50	
HZS 38/23		100	6018-3823-8812-0100	50	786,20	
HZS 38/23		125	6018-3823-8812-0125	50	auf Anfrage	
HZS 38/23		150	6018-3823-8812-0150	50	auf Anfrage	
HZS 38/23		M16	30	6018-3823-8816-0030	50	auf Anfrage
HZS 38/23			40	6018-3823-8816-0040	50	436,80
HZS 38/23			50	6018-3823-8816-0050	50	454,80
HZS 38/23			60	6018-3823-8816-0060	60	477,20
HZS 38/23			80	6018-3823-8816-0080	80	557,75
HZS 38/23			100	6018-3823-8816-0100	100	593,50
HZS 38/23			125	6018-3823-8816-0125	125	auf Anfrage
HZS 38/23	150		6018-3823-8816-0150	150	1.480,45	
HZS 38/23	200		6018-3823-8816-0200	200	1.771,85	
HZS 38/23	300	6018-3823-8816-0300	300	2.468,40		
feuerverzinkt, Festigkeitsklasse 8.8						
HZS 38/23	M16	60	6019-3823-8816-0060	25	506,80	
Edelstahl A4-70						
HZS 38/23	M16	60	6018-3823-A416-0060	25	1.748,20	
HZS 38/23		80	6018-3823-A416-0080	25	1.951,85	

Hammerkopfschrauben gezahnt

Hammerkopfschrauben 29/20 gezahnt					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für gezahntes Profil 29/20			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 8.8					
HZS 29/20	M12	30	6018-2920-8812-0030	100	262,00
HZS 29/20		40	6018-2920-8812-0040	50	282,20
HZS 29/20		50	6018-2920-8812-0050	50	304,55
HZS 29/20		60	6018-2920-8812-0060	50	309,10
HZS 29/20		80	6018-2920-8812-0080	50	362,85
HZS 29/20		100	6018-2920-8812-0100	50	auf Anfrage
HZS 29/20		125	6018-2920-8812-0125	50	auf Anfrage
HZS 29/20		150	6018-2920-8812-0150	50	auf Anfrage
HZS 29/20		200	6018-2920-8812-0200	25	auf Anfrage
HZS 29/20		250	6018-2920-8812-0250	25	auf Anfrage
HZS 29/20		300	6018-2920-8812-0300	25	auf Anfrage

Hammerkopfschrauben HZS 41/22 gezahnt					
		Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für gezahntes Profil 41/22			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 8.8					
HZS 41/22	M12	35	6018-4122-8812-0035	100	409,90
HZS 41/22		50	6018-4122-8812-0050	100	445,70
HZS 41/22	M16	50	6018-4122-8816-0050	25	683,10
HZS 41/22		100	6018-4122-8816-0100	25	947,45
Edelstahl A4-70					
HZS 41/22	M12	35	6018-4122-A412-0035	25	2.606,95
HZS 41/22		50	6018-4122-A412-0050	25	2.784,55
HZS 41/22		80	6018-4122-A412-0080	25	2.899,70
HZS 41/22	M16	35	6018-4122-A416-0035	25	auf Anfrage
HZS 41/22		50	6018-4122-A416-0050	25	2.819,35

Hammerkopfschrauben gezahnt

Hammerkopfschrauben 41/41 gezahnt					
		<p>Auslieferung jeweils mit Sechskantmutter DIN 934 Geeignet für Profile 41/22, 41/41, 41/62 und 41/83</p> <p>Abmessungen: M8 - M10, h = 8,0mm M12, h = 9,2mm</p>			
Typ	Gewinde	Länge (mm)	Artikelnummer	VE / Stück	Preis € /100 Stück
galvanisch verzinkt, Festigkeitsklasse 4.6					
41/41	M8	20	6021-4141-4608-0020	100	112,30
41/41		25	6021-4141-4608-0025	100	114,40
41/41		30	6021-4141-4608-0030	100	116,65
41/41		40	6021-4141-4608-0040	100	121,85
41/41		50	6021-4141-4608-0050	100	128,00
41/41		60	6021-4141-4608-0060	100	135,55
41/41		70	6021-4141-4608-0070	100	147,00
41/41		80	6021-4141-4608-0080	100	161,90
41/41		100	6021-4141-4608-0100	100	195,70
41/41		M10	20	6021-4141-4610-0020	100
41/41	25		6021-4141-4610-0025	100	144,40
41/41	30		6021-4141-4610-0030	100	147,00
41/41	40		6021-4141-4610-0040	100	152,30
41/41	50		6021-4141-4610-0050	100	160,70
41/41	60		6021-4141-4610-0060	100	170,30
41/41	70		6021-4141-4610-0070	100	181,45
41/41	80		6021-4141-4610-0080	100	208,30
41/41	100		6021-4141-4610-0100	100	248,10
41/41	150		6021-4141-4610-0150	100	303,45
41/41	M12	30	6021-4141-4612-0030	100	187,90
41/41		40	6021-4141-4612-0040	100	194,55
41/41		50	6021-4141-4612-0050	100	202,80
41/41		60	6021-4141-4612-0060	100	211,15
41/41		70	6021-4141-4612-0070	100	223,25
41/41		80	6021-4141-4612-0080	100	241,20
41/41		100	6021-4141-4612-0100	100	282,65
41/41		150	6021-4141-4612-0150	100	392,85